

SMART ACCESSIBILITY 2022

The Seventh International Conference on Universal Accessibility in the Internet of Things and Smart Environments

ISBN: 978-1-61208-988-1

June 26th – 30th, 2022

Porto, Portugal

SMART ACCESSIBILITY 2022 Editors

Pascal Lorenz, University of Haute Alsace, France

Lasse Berntzen, University of South-Eastern Norway, Norway

SMART ACCESSIBILITY 2022

Forward

The Seventh International Conference on Universal Accessibility in the Internet of Things and Smart Environments (SMART ACCESIBILITY 2022) was held in Porto, Portugal, June 26 - 30, 2022.

There are several similar definitions for universal accessibility, such as design for all, universal design, inclusive design, accessible design, and barrier free design. These and similar approaches are relevant to this conference. The focus will be on methods, tools, techniques and applications for human diversity, social inclusion and equality, enabling all people to have equal opportunities and to participate in the information society.

The accepted papers covered topics such as accessibility by design, digital inclusion, accessibility devices and applications. We believe that the SMART ACCESIBILITY 2022 contributions offered a large panel of solutions to key problems in areas of accessibility.

We take here the opportunity to warmly thank all the members of the SMART ACCESIBILITY 2022 technical program committee as well as the numerous reviewers. The creation of such a broad and high quality conference program would not have been possible without their involvement. We also kindly thank all the authors that dedicated much of their time and efforts to contribute to the SMART ACCESIBILITY 2022. We truly believe that thanks to all these efforts, the final conference program consists of top quality contributions.

This event could also not have been a reality without the support of many individuals, organizations and sponsors. In addition, we also gratefully thank the members of the SMART ACCESIBILITY 2022 organizing committee for their help in handling the logistics and for their work that is making this professional meeting a success.

We hope the SMART ACCESIBILITY 2022 was a successful international forum for the exchange of ideas and results between academia and industry and to promote further progress in the universal accessibility field. We also hope that Porto provided a pleasant environment during the conference and everyone saved some time for exploring this beautiful city

SMART ACCESIBILITY 2022 Chairs

Daniela Marghitu, Auburn University - Auburn, USA Lasse Berntzen, University of South-Eastern Norway, Norway Raju Shrestha, OsloMet - Oslo Metropolitan University, Norway

SMART ACCESSIBILITY 2022 Publicity Chair

Laura Garcia, Universitat Politècnica de València (UPV), Spain José Miguel Jiménez, Universitat Politecnica de Valencia, Spain

SMART ACCESSBILITY 2022

COMMITTEE

SMART ACCESSIBILITY Advisory Committee

Daniela Marghitu, Auburn University - Auburn, USA Lasse Berntzen, University of South-Eastern Norway, Norway Raju Shrestha, OsloMet - Oslo Metropolitan University, Norway

SMART ACCESSIBILITY 2022 Publicity Chair

Laura Garcia, Universitat Politècnica de València (UPV), Spain José Miguel Jiménez, Universitat Politecnica de Valencia, Spain

SMART ACCESSIBILITY 2022 Technical Program Committee

Maha Aljohani, Dalhousie University, Halifax, Canada Lars Ballieu Christensen, Sensus ApS, Denmark M. Salman Bashir, Virtual University of Pakistan, Pakistan Susana Bautista Blasco, Universidad Francisco de Vitoria, Madrid, Spain Lasse Berntzen, University of South-Eastern Norway, Norway Anthony Brooks, Aalborg University, Denmark Pedro Cardoso, Universidade do Algarve, Portugal Vítor Carvalho, 2AI-EST-IPCA / Algoritmi Research Centre - UM, Portugal Anat Caspi, University of Washington, USA Marcos Devaner do Nascimento, Polytechnic School of the University of São Paulo, Brazil Duarte Duque, 2Ai - Polytechnic Institute of Cávado and Ave, Portugal Nuno Feixa Rodrigues, 2Ai Polytechnic Institute of Cávado and Ave, Barcelos, Portugal Sónia Ferreira, Polytechnic of Viseu, Portugal Kristin Skeide Fuglerud, Norwegian Computing Center, Norway Denis Gracaninm Virginia Tech, USA Emmanuelle Gutiérrez y Restrepo, Sidar Foundation - Universal Access / Universidad Nacional de Educación a Distancia (UNED), Spain María Visitación Hurtado Torres, University of Granada, Spain Bin Jiang, University of Gävle, Sweden Charalampos Karagiannidis, University of Thessaly, Volos, Greece Salik Ram Khanal, Neadvance Machine Vision SA, Braga, Portugal Olivera Kotevska, Oak Ridge National Laboratory (ORNL), Tennessee, USA Wenjuan Li, The Hong Kong Polytechnic University, Hong Kong Daniela Marghitu, Auburn University, USA Paulo Martins, INESC TEC / University of Trás-os-Montes e Alto Douro, Portugal Elisabeth Metais, CNAM, France Chinenye Ndulue, Dalhousie University, Halifax, Canada Gerhard Nussbaum, Competence Network Information Technology to Support the Integration of People with Disabilities (KI-I), Linz, Austria Eva Oliveira, 2Ai Polytechnic Institute of Cávado and Ave, Barcelos, Portugal Sushil K. Oswal, University of Washington, USA

Wanjoo Park, NYU Abu Dhabi, UAE Margherita Pillan, Politecnico di Milano, Italy Hariton Polatoglou, Aristotle University of Thessaloniki, Greece Horia F. Pop, UBB Cluj, Romania Franz Pühretmair, KI-I, Austria Subham Rajgaria, Indian Institute of Technology, Kharagpur, India Celia Ramos, Universidade do Algarve, Portugal Arsénio Reis, Universidade de Trás-os-Montes e Alto Douro, Portugal Joni Salminen, Qatar Computing Research Institute, Qatar Raju Shrestha, OsloMet - Oslo Metropolitan University, Norway Almudena Sierra Alonso, Universidad Rey Juan Carlos, Madrid, Spain Mu-Chun Su, National Central University, Taiwan Edgar Tello-Leal, Universidad Autónoma de Tamaulipas, Mexico Dimitrios Tsiastoudis, Aristotle University of Thessaloniki, Greece Esteban Vázquez Cano, Universidad Nacional de Educación a Distancia (UNED), Spain Nadine Vigouroux, IRIT UMR CNRS 5505 | Paul Sabatier University, Toulouse, France Konstantinos Votis, Centre for Research and Technology Hellas, Greece Bin Xu, Cornell University, USA Marcus Winter, University of Brighton, UK

Copyright Information

For your reference, this is the text governing the copyright release for material published by IARIA.

The copyright release is a transfer of publication rights, which allows IARIA and its partners to drive the dissemination of the published material. This allows IARIA to give articles increased visibility via distribution, inclusion in libraries, and arrangements for submission to indexes.

I, the undersigned, declare that the article is original, and that I represent the authors of this article in the copyright release matters. If this work has been done as work-for-hire, I have obtained all necessary clearances to execute a copyright release. I hereby irrevocably transfer exclusive copyright for this material to IARIA. I give IARIA permission or reproduce the work in any media format such as, but not limited to, print, digital, or electronic. I give IARIA permission to distribute the materials without restriction to any institutions or individuals. I give IARIA permission to submit the work for inclusion in article repositories as IARIA sees fit.

I, the undersigned, declare that to the best of my knowledge, the article is does not contain libelous or otherwise unlawful contents or invading the right of privacy or infringing on a proprietary right.

Following the copyright release, any circulated version of the article must bear the copyright notice and any header and footer information that IARIA applies to the published article.

IARIA grants royalty-free permission to the authors to disseminate the work, under the above provisions, for any academic, commercial, or industrial use. IARIA grants royalty-free permission to any individuals or institutions to make the article available electronically, online, or in print.

IARIA acknowledges that rights to any algorithm, process, procedure, apparatus, or articles of manufacture remain with the authors and their employers.

I, the undersigned, understand that IARIA will not be liable, in contract, tort (including, without limitation, negligence), pre-contract or other representations (other than fraudulent misrepresentations) or otherwise in connection with the publication of my work.

Exception to the above is made for work-for-hire performed while employed by the government. In that case, copyright to the material remains with the said government. The rightful owners (authors and government entity) grant unlimited and unrestricted permission to IARIA, IARIA's contractors, and IARIA's partners to further distribute the work.

Table of Contents

1

Economic Impact of Adopting Assistive Technologies on Quality Adjusted Life Years and Work Productivity Siny Joseph, Caden Brond, and Vinod Namboodiri

Economic Impact of Adopting Assistive Technologies on Quality Adjusted Life Years and Work Productivity

Siny Joseph & Caden Brond Department of Integrated Studies Kansas State University Manhattan, KS, USA <u>siny@k-state.edu</u>, <u>cdbrond@k-state.edu</u>

Abstract—This paper discusses the development of a novel survey instrument to measure the impact of adopting assistive technologies. The goal is to determine the quality of life improvements and increase in work productivity for people with disabilities with the use of assistive technologies. The task of Wayfinding is presented as a case study to evaluate the benefit to people with disabilities. This paper contributes to the Accessibility Devices and Applications track of the conference.

Keywords-accessibility; assisitve technology; quality adjusted life years; work productivity.

I. INTRODUCTION

Assistive Technologies (AT) are a concept of an item or piece of equipment that enables individuals with disabilities to enjoy full inclusion and integration in society. While accessibility focuses on giving "similar" access capabilities to a specific device or service, AT is broader, with a focus on enabling core human tasks.

Technological advances in health and social care have led to a plethora of ATs that enable people with impairments or disabilities to ameliorate their impact to varying extents. There is an increasing awareness that there are many barriers, physical or otherwise, that impede opportunities for work, education, and participation by people with disabilities. Technology has tremendous potential for removing accessibility barriers. For example, mapping and localization systems deployed in public spaces support orientation and wayfinding, or to identify safe paths to traverse for wheelchair users [1], [2], [3].

Often ATs are developed with the claim it is useful and has potential to ameliorate the life of people with disabilities [4], [5]. Quantifying the benefits of ATs is an important consideration towards its development and adoptability. Central to quantifying these benefits is the use of survey instruments. Common survey instruments adopted for measuring health utility are EQ-5D-3L developed by the EuroQol Group, Health Utilities Index Mark 3 scale (HUI3), SF-6D scale developed from SF-36. Questionnaires to evaluate at-work disability and productivity loss are Work Limitations Questionnaire (WLQ-25) and Workplace Activity Limitation Scale (WALS). The most common questionnaire to measure Quality-Adjusted Life Years (OALY) is EO-5D-3L, where three levels of severity are assigned to five dimensions of quality of life, namely, mobility, self-care, usual activities, pain/discomfort, and

Vinod Namboodiri School of Computing Wichita State University Wichita, KS, USA vinod.namboodiri@wichita.edu

anxiety/depression. Similarly, HUI3 considers eight attributes of 5 to 6 levels.

There are no survey instruments developed that standardizes aspects related to both QALY and work productivity jointly. Most health utility capturing instruments (such as EQ-5D-3L and SF-36) address quality of life, while other instruments such as WALS and WALQ-25 measure the work dimension. Primarily these instruments evaluate the impact of interventions such as a drug or medical treatments and in some cases commonly used ATs (hearing aids, rollators) [6]. QALY could serve as a proxy for work productivity but it lacks explicit work-related metrics, making it an abstract measure of work productivity. The impact of ATs on QALY and work productivity can be separately measured by different instruments designed for this purpose. However, it is beneficial, meaningful, and efficient to have an instrument that measures both dimensions, especially when an AT such as a wayfinding tool cuts across dimensions. Measuring the impact for people with disabilities using a single instrument embodying both QALY and work productivity, allows for robust analysis of the AT.

Thus, the objective of this work is to develop a unique standardized survey instrument that measures both health utility and work productivity as it applies to adopting ATs by people with disabilities. The questionnaire developed will assess utility weights for quality of work-life and quality of life, and will be deployed widely to gather statistics from individuals with a wide range of disabilities, namely impairments related to visual, hearing, motor, cognitive and elderly.

The rest of this paper is organized as follows. Section II describes the methodology. Section III provides a description of the evaluation tasks and the framework on which future work will be accomplished. The acknowledgement and conclusions close the article.

II. METHODOLOGY

The unique questionnaire designed to address health and work productivity follows the construct to calculate Quality-Adjusted Life Years (QALY). QALY is a well-known measure that attempts to show the extent to which a particular treatment or system extends life and improves the quality of life at the same time [6], [7], [8], [9]. It is a tool aimed at incorporating all the essential dimensions of health, ability, and length of life. It combines the effects of health interventions on morbidity (quality of life) and mortality (quantity of life) into a single index. QALY has been largely used by insurance providers to weigh the benefits of a drug or medical treatment for patients [8], [10], [11].

QALY determines by how much not being in health impacts a person's quality of life. QALY's do this by assigning a number between 0 and 1, called a health utility, to the various conditions a person's health could be in. A 0 would represent the lowest possible quality of life, while a 1 would represent the highest possible quality of life. Health utilities are typically derived from surveys (EQ-5D-3L, SF-36), which attempt to determine how much survey participants would prefer to be in one health state as compared to another. Health states do not correspond directly to specific disabilities- they instead represent the degree of impairment a person has in specific, limited categories of functioning (such as mobility, ability to perform tasks, etc.). However, most disabilities share some or all characteristics of a health state. Goal of a health utility as measured by the instrument is to measure the degree to which a particular disability negatively impacts quality of life as compared to a state of perfect health. After determining the health utility, the decimal is multiplied by the number of years (quantity of life) that the AT is expected to cover. The quantity can be the number of years by which the system extends their life or enhances productivity at work, i.e., the number of years a person expects to use AT over their lifetime in being able to maintain a certain standard of living and work [12] effectively. Similarly, some states are identified that relate to quality of work-life [13], [14], [15]. These states help explain impact on work productivity. Figure 1 breaks down health and quality of work-life dimensions from which health and work utilities are calculated. Adoption of ATs are expected to change the utilities, thereby aiding in measuring changes in QALY and work productivity. This would further help in determining the cost-effectiveness of adopting AT.



Figure 1. Design of the survey instrument

III. DESCRIPTION

To evaluate the economic impact of adopting an assistive technology in alleviating health and work productivity of a person with disability, the following is undertaken in this research work:

A. Use of Instruments for AT applications:

A feasibility study of popularly used and industry accepted survey instruments (EQ-5D-3L, SF-36, WALS and WLQ) is conducted to measure the impact of ATs in quality of life and work productivity for people with disabilities. This scoping literature review across various domains (healthcare, information technology, transportation etc.) shows despite the wide-spread use of the survey instruments, there is not much analysis of AT adoptability. The landscape is dominated by instruments gauging the impact of drugs or medical treatments. Table 1 provides a snapshot of limited work published in literature applying instruments to measure the impact of AT on people with disabilities. While there are some evidences of using EQ-5D-3L and SF-36 in measuring AT adoptability, there is hardly any of WALS and WLQ use.

B. Comparative study of Instruments:

A comparative study of the four instruments listed above is conducted on various criteria to gauge its degree of suitability in measuring both aspects of life and work productivity together with AT interventions. The study finds that these instruments are typically used in a mutually exclusive form i.e., measures either quality of life or work productivity. However, ATs can be instrumental in improving both aspects. The comparative study provides a benchmark to develop a unique standardized instrument that accomplishes the objective outlined in this research. Table 2 evaluates the four survey instruments on the following criteria, a) the nature of questions the survey seeks to evaluate, b) format of the questions, c) the prevalent applicability of the instrument, d) accessibility of the instrument, e) strengths, and weaknesses of the instrument. This evaluation of commonly used survey instruments that serve as the industry standard guides the development of the novel instrument proposed in this paper.

C. Case Study of Wayfinding systems:

A unique standardized instrument is developed that measures the joint impact of ATs in both quality of life and quality of work-life. A smartphone-based indoor/outdoor wayfinding application for persons with disabilities is used as a case study for applying this instrument. This instrument is calibrated against established instruments (EQ-5D-3L, SF-36, WALS and WLQ) and provides a detailed framework to measure both QALY and work productivity. Figure 1 provides the structure of the instrument and its design. Similar to the EQ-5D-3L instrument, 5 health states are defined and responses will be gathered at 5 levels spanning no problems at all to extreme problems. To measure work productivity, 5 more states are defined specific to work experience and these follow the same construct of measuring responses at 5 levels. The unique instrument with standardized 10 dimensions and 5 levels of responses to each dimension will allow for determining utility values or index values. The index values will be used to calculate QALY and work productivity aspects jointly for different groups of people with disabilities. Additionally, the developed instrument will also be administered to people with no disabilities to serve as a benchmark. The instrument will allow for evaluating the changes in index values based on adoption of the wayfinding system. Further, the cost-effectiveness of adopting wayfinding system can be computed from QALY and Work Productivity calculations.

Future work will involve gathering data by administering the designed instrument to persons with disabilities related to impairments such as cognitive, visual, hearing, motor, and elderly and also to persons with no disabilities.

IV. CONCLUSION

In this paper we introduce a unique survey instrument in the context of established separate questionnaires for health and work-life that contributes to the literature in two ways. A survey instrument that evaluates both the health and work-life domains jointly, and secondly, analyses the use of assistive technologies on quality of life and work productivity in the targeted population. This work addresses the gap in the literature where studies focus on the impact of interventions such as a drug or medical treatment and in some cases AT, either on the quality of life or work productivity.

ACKNOWLEDGMENT

The authors are grateful for the support for this work by NSF grant # 1951864.

REFERENCES

[1] D. Ahmetovic, C. Gleason, C. Ruan, K. Kitani, H. Takagi, and C. Asakawa. Navcog: A navigational cognitive assistant for the blind. In Proceedings of the 18th International Conference on Human-Computer Interaction with Mobile Devices and Services, MobileHCI '16, pages 90--99, New York, NY, USA, 2016.

[2] S. A. Cheraghi, Vinod Namboodiri, Guler Arsal. SafeExit4AII: An Inclusive Indoor Emergency Evacuation System for People With Disabilities. W4A '19: Proceedings of the 16th Web For All May 2019 Article No: 29 Pages 1–10.

[3] S. A. Cheraghi, V. Namboodiri, and L. Walker. Guidebeacon: Beacon-based indoor wayfinding for the blind, visually impaired, and disoriented. IEEE Pervasive Communications (PerCom), 2016.
[4] A. M. Cook, J. M. Polgar, Essentials of Assistive Technologies, 1st Edition, 2014 [5] A. M. Cook, J. M. Polgar, P. Encarnação, Assistive Technologies: Principles and Practice, 5th Edition, 2019

[6] Brandt Å, Alwin J, Persson J, Husberg M. Can we rely on QALYs for assistive technologies? Technology & Disability. 2012;24 (1):93-100

[7] M. C. Weinstein, G. Torrance and A. McGuire, QALYs: the basics, Value in Health 12 (Suppl 1) 2009, S5-S9.

[8] "Quality-Adjusted Life Years and the Devaluation of Life with Disability", National Council on Disability, November 6, 2019, https://ncd.gov/sites/default/files/NCD_Quality_Adjusted_Life_Re_port_508.pdf

[9] "Health Related Quality of Life", Centers for Disease Control and Prevention, updated October 31, 2018, https://www.cdc.gov/hrqol/concept.htm.

[10] B. Solow and E. J. Pezalla, "Commentary: ISPOR's Initiative on US Value Assessment Frameworks: The Use of Cost-Effectiveness Research in Decision Making US Insurers". Value in Health 21 (2018) 166-167.

[11] D. Roland, Obscure Model puts a price on good health- and drives down drug costs, Wall Street Journal (2019) https://www.wsj.com/articles/obscure-model-puts-a-price-ongood-healthand-drives-down-drug-costs-11572885123

[12] Joseph, S., and Vinod Namboodiri (2020) "Assessment of Economic Value of Assistive Technologies through Quality-Adjusted Work-Life Years (QAWLY)," in *Computers Helping People with Special Needs - 17th International Conference*, ICCHP 2020, Lecco, Italy, September 9-11, 2020, Proceedings, Part II, ser. Lecture Notes in Computer Science, K. Miesenberger, R. Manduchi, M. C. Rodriguez, and P. Penáz, Eds., vol. 12377. Springer, 2020, pp. 480– 488. <u>https://doi.org/10.1007/978-3-030-58805-2_57</u>

[13] Horst, D.J., Broday, E.E., Bondarick, R., Serpe, L.F., & Pilatti, L.A. (2014). Quality of Working Life and Productivity: An Overview of the Conceptual Framework. International Journal of Managerial Studies and Research (IJMSR) Volume 2, Issue 5, PP 87-98

[14] Almarsh, Sultan O.. "A Measurement Scale for Evaluating Quality of Work Life: Conceptualization and Empirical Validation." *Trends in Applied Sciences Research* 10 (2015): 143-156.

[15] Afroz, Saman. (2018). Quality of Work Life: A Conceptual Model. Advances in Economics and Business Management (AEBM) Volume 4, Issue 8; October-December, 2017, pp. 570-578

[16] Øksnebjerg, L., Woods, B., Vilsen, C. R., Ruth, K., Gustafsson, M., Ringkøbing, S. P., & Waldemar, G. (2020). Selfmanagement and cognitive rehabilitation in early stage dementia – merging methods to promote coping and adoption of assistive technology. A pilot study. Aging & Mental Health, 24(11), 1894– 1903

[17]RebeccaJ.Kelly-Campbell& KameaLessoway (2015) Hearing aid and hearing assistance technologyuse in Aotearoa/New Zealand, International Journal ofAudiology, 54:5, 308-315, DOI: 10.3109/14992027.2014.979952

[18] Thompson, W. W., Zack, M. M., Krahn, G. L., Andresen, E. M., & Barile, J. P. (2012). Health-Related Quality of Life Among Older Adults With and Without Functional Limitations. American Journal of Public Health, 102(3), 496–502.

[19] Pettersson, I., Hagberg, L., Fredriksson, C., & Hermansson, L. N. (2016). The effect of powered scooters on activity, participation and quality of life in elderly users. Disability & Rehabilitation: Assistive Technology, 11(7), 558–563.

[20] Vincent, C., Gagnon, D. H., & Dumont, F. (2019). Pain, fatigue, function and participation among long-term manual wheelchair users partnered with a mobility service dog. Disability and Rehabilitation. Assistive Technology, 14(2), 99–108.

[21] Arun, S., Marbaniang, B., Borgohain, B., & Kanagaraj, S. (2020). Rehabilitation evaluation of the newly developed polymeric based passive polycentric knee joint. Disability and Rehabilitation. Assistive Technology, 15(8), 871–877.

[22] Huang, C.-C., Chen, W.-S., Tsai, M.-W., & Wang, W. T.-J. (2017). Comparing the Chinese versions of two knee-specific questionnaires (IKDC and KOOS): reliability, validity, and responsiveness. Health and Quality of Life Outcomes, 15(1), 238.

[23] Demers, L., Fuhrer, M. J., Jutai, J. W., Scherer, M. J., Pervieux, I., & DeRuyter, F. (2008). Tracking mobility-related assistive technology in an outcomes study. Assistive Technology : The Official Journal of RESNA, 20(2), 73–83.

[24] Howard, R., Gathercole, R., Bradley, R., Harper, E., Davis, L., Pank, L., Lam, N., Talbot, E., Hooper, E., Winson, R., Scutt, B., Montano, V. O., Nunn, S., Lavelle, G., Bateman, A., Bentham, P., Burns, A., Dunk, B., Forsyth, K., & Fox, C. (2021). The effectiveness and cost-effectiveness of assistive technology and telecare for independent living in dementia: a randomised controlled trial. Age and Ageing, 50(3), 882–890.

[25] Vuorialho, A., Karinen, P., & Sorri, M. (2006). Effect of hearing aids on hearing disability and quality of life in the elderly. International Journal of Audiology, 45(7), 400–405.

[26] Van Walsem, M. R., Howe, E. I., Frich, J. C., & Andelic, N. (2016). Assistive Technology for Cognition and Health-related Quality of Life in Huntington's Disease. Journal of Huntington's Disease, 5(3), 261–270.

[27] Nollett, C., Lewis, C., Kitchiner, N., Roberts, N., Addison, K., Brookes-Howell, L., Cosgrove, S., Cullen, K., Ehlers, A., Heke, S., Kelson, M., Lovell, K., Madden, K., McEwan, K., McNamara, R., Phillips, C., Pickles, T., Simon, N., & Bisson, J. (2018). Pragmatic RAndomised controlled trial of a trauma-focused guided self-help Programme versus InDividual trauma-focused cognitive Behavioural therapy for post-traumatic stress disorder (RAPID): trial protocol. BMC Psychiatry, 18(1), 77.

[28] Okullo, G. O., Flores, M. J., Peck, C. J., Socci, A. R., & Kisitu, D. K. (2022). Adverse events in the treatment of motorcycle-related isolated limb injuries at a regional hospital in Uganda: a prospective clinical analysis. International Orthopaedics, 46(1), 71–77.

[29] Bray, N., Edwards, R. T., Squires, L., & Morrison, V. (2019). Perceptions of the impact of disability and impairment on health, quality of life and capability. BMC Research Notes, 12(1), 287.

[30] Hammond, A., O'Brien, R., Woodbridge, S., Bradshaw, L., Prior, Y., Radford, K., Culley, J., Whitham, D., & amp; Pulikottil-Jacob, R. (2017, July 21). Job retention vocational rehabilitation for employed people with inflammatory arthritis (work-IA): A feasibility randomized controlled trial - BMC musculoskeletal disorders. BioMed Central.

Authors	Year	Title of Paper	Instrument Used	AT Used
[6]	2012	Can we rely on QALYs for assistive technologies?	EQ-5D	Various
[16]	2020	Self-management and cognitive rehabilitation in early stage dementia – merging EQ methods to promote coping and adoption of assistive technology. A pilot study.		ReACT app
[17]	2015	Hearing aid and hearing assistance technology use in Aotearoa/New Zealand.	SF-36	Hearing Aid
[18]	2011	Health-Related Quality of Life Among Older Adults With and Without Functional SF-36 Limitations.		Various
[19]	2015	The effect of powered scooters on activity, participation and quality of life in elderly users.		Powered Mobility Devices
[20]	2017	Pain, fatigue, function and participation among long-term manual wheelchair users partnered with a mobility service dog.	SF-36	Mobility Service Dogs
[21]	2019	Rehabilitation evaluation of the newly developed polymeric based passive polycentric knee joint.	SF-36	Polycentric Knee Joint
[22]	2017	Comparing the Chinese versions of two knee-specific questionnaires (IKDC and KOOS): reliability, validity, and responsiveness.	SF-36	Comparing 2 AT Surveys
[23]	2008	Tracking mobility-related assistive technology in an outcomes study.	SF-36	Mobility Assistive Technology Devices
[24]	2021	The effectiveness and cost-effectiveness of assistive technology and telecare for independent living in dementia: a randomized controlled trial.	EQ-5D	Assistive Technology and Telecare (dementia)
[25]	2012	Effect of hearing aids on hearing disability and quality of life in the elderly.	EQ-5D	Hearing Aid
[26]	2016	Assistive Technology for Cognition and Health-related Quality of Life in Huntington's Disease.	EQ-5D	Assistive Technology for Cognition to improve HRQoL (health related quality of life)
[27]	2018	Pragmatic randomized controlled trial of a trauma-focused guided self-help Program versus Individual trauma-focused cognitive behavioral therapy for post-traumatic stress disorder (RAPID): trial protocol.	EQ-5D	Online Guided Self Help Program
[28]	2022	Adverse events in the treatment of motorcycle-related isolated limb injuries at a regional hospital in Uganda: a prospective clinical analysis.	EQ-5D	Addressing Clinical Adverse Events in regards to limbs

TABLE 1: SURVEY INSTRUMENTS MEASURING AT ADOPTIONS

[29]	2019	Perceptions of the impact of disability and impairment on health, quality of life and capability.	EQ-5D	Various
[30]	2017	Job retention vocational rehabilitation for employed people with inflammatory arthritis (WORK-IA): a feasibility randomized controlled trial.	WLQ	VR/AR

TABLE 2: COMPARISON OF SURVEY INSTRUMENTS

Instrument	SF-36	EQ-5D-3L	WALS	WLQ
Questions	Focused on Health General health, emotional and social activities question.	Focused on Health Specific disability questions, and the severity of that disability based on the scale presented.	Focused on Work	Focused on Work Focused on symptoms/impacts from the past 2 weeks Each question asks about a different aspect of work.
Format	36 questions, divided into 8 different domains	5 domains, with three different levels of responses	12 questions, 4 levels of answers	25 questions divided into 4 subscales, rating scale from 1-6
Intent	Intended for use with arthritis	Intended for use with arthritis	Intended for use with arthritis	Intended to assess various states of workplace disabilities
Accessibility	Given the simplicity of the questions, it is very accessible	Very accessible because of the ease of answer choices regarding the scale	Very accessible given the short length of the survey	Semi-accessible a bit of a longer survey but goes more in depth
Strengths	Simple answer choices to questions makes it easier for people to fill out. Covers a lot of ground regarding limitations of activities, and it dives into the specifics of what one has trouble with.	More responsive to improvement/decline in people's condition in terms of mobility The scale has "states" which are worse than death. This helps people understand the seriousness of the diseases these people have and helps professionals assist them appropriately.	No recall period Does not go into depth on each individual thing making it easy to understand and fill out	Very easy to complete Goes in depth into the areas it covers Higher work limitation numbers, which means this survey is more sensitive
Weaknesses	Missing values estimated through the mean of answered data in the same scale for patients with responses for at least half of the domain questions. Given the above is true, the results may not be accurate in those cases.	Not effective for use with hearing impaired individuals Patient excluded of specific analysis if <u>any</u> question is left unanswered.	If 2 questions are left unanswered the patient is left out of special analysis Does not go in depth into the problems	With only 5 questions, it does not cover everything in which someone might need. Uses reverse instructions which can be confusing for individuals Not very intuitive for blind people, they may be confused with all of the different choices.